#### Update on COVID-19 Vaccination

# Total number of vaccinated healthcare workers across the country more than 381,000

#### No case of serious/severe of AEFI reported

Posted On: 18 JAN 2021 7:50PM by PIB Delhi

The third day of the massive countrywide COVID-19 vaccination program was also conducted successfully.

Total of **3,81,305 beneficiaries** have been vaccinated till today through **7,704 sessions**, as per the provisional report.

**1,48,266 beneficiaries** were vaccinated till 5 pm today, the third day of nationwide COVID19 vaccination. Final reports would be completed for the day by late tonight.

S. No.	State/UT	Beneficiaries vaccinated (provisional)
1	Andhra Pradesh	9,758
2	Arunachal Pradesh	1,054
3	Assam	1,822
4	Bihar	8,656
5	Chhattisgarh	4,459
6	Delhi	3,111
7	Haryana	3,486
8	Himachal Pradesh	2,914
9	Jammu & Kashmir	1,139
10	Jharkhand	2,687
11	Karnataka	36,888
12	Kerala	7,070
13	Lakshadweep	180
14	Madhya Pradesh	6,665
15	Manipur	291
16	Mizoram	220
17	Nagaland	864
18	Odisha	22,579
19	Puducherry	183

	All India	1,48,266
25	West Bengal	11,588
24	Uttarakhand	1,579
23	Tripura	1,211
22	Telangana	10,352
21	Tamil Nadu	7,628
20	Punjab	1,882

An Adverse Event Following Immunization (AEFI) is any unexpected medical occurrence which follows immunization. It may or may not be related to the vaccine or vaccination process.

**580 cases of AEFI** have been reported so far. Out of these, seven have required hospitalization. Of the three cases reported from Delhi, two have been discharged whereas once case with reporting fainting is under observation at Max Hospital, Patparganj. The reported case of AEFI in Uttarakhand is stable and under observation at AIIMS, Rishikesh. In Chhattisgarh, one person is under observation at the Govt. Medical College, Rajnandgaon. Of the two cases of AEFI in Karnataka, one is under observation at District Hospital, Chitradurga and the second person is under observation at General Hospital, Challakere, Chitradurga.

Of the two deaths reported, death of the 52 yr male from Moradabad, UP (who was vaccinated on 16th Jan 2021 and died on evening of 17th Jan 2021) is **not related to vaccination as per the post mortem report. Death was caused due to cardiopulmonary disease**.

The second death was of a male person aged 43 years, resident of Bellary, Karnataka. He was vaccinated on 16 Jan, 2021 and died today. The cause of death is anterior wall infarction with Cardiopulmonary failure. The post mortem is scheduled today at Vijayanagar Institute of Medical Sciences, Bellary, Karnataka.

\*\*\*\*

MV

(Release ID: 1689778)







# Will COVID-19 vaccine be given to everyone simultaneously?

#### Government has identified high-risk groups to be vaccinated on priority

- The first group includes healthcare & frontline workers
- The second group will be persons over 50 years & persons with comorbid conditions
- Subsequently, the vaccine will be made available to all others in need





# Will the vaccine be safe as it is being introduced in a short span of time?

 Vaccines will be introduced in the country only after the regulatory bodies clear it based on its safety and efficacy

#### Is it mandatory to take the vaccine?

Vaccination for COVID-19 is voluntary

However, it is advisable to receive the complete schedule of COVID-19 vaccine for protecting oneself & limiting the spread of the disease





## Is it necessary for a COVID recovered person to take the vaccine?

It is advisable to receive a complete schedule of the vaccine irrespective of the past history of infection as it will help in developing a strong immune response

### Can a person having COVID-19 (confirmed/suspected) infection be vaccinated?

Infected individuals should defer vaccination for 14 days after symptoms resolution as they may increase the risk of spreading the virus to others at the vaccination site





## Out of the multiple vaccines available, how is one or more vaccine chosen for administration?

A The safety & efficacy data from clinical trials of vaccine candidates are examined by the Drug Regulator before granting of the license. Hence, all the licensed COVID-19 vaccines will have comparable safety & efficacy

However, it must be ensured that the entire schedule of vaccination is completed by only one type of vaccine as different COVID-19 vaccines are not interchangeable





Does India have the capacity to store COVID vaccine at +2 to +8°C & transport them at required temperature?

India runs one of the largest immunization
programmes in the world, catering to the vaccination needs of over 26 million newborns & 29 million pregnant women

The programme mechanisms are being strengthened to effectively cater to the country's large & diverse population





### Will the vaccine introduced in India be as effective as the ones introduced in other countries?

A Yes. The COVID-19 vaccine introduced in India will be as effective as any vaccine developed by other countries as various phases of vaccine trials are undertaken to ensure its safety and efficacy

# How will I know if I am eligible for vaccination?

Eligible beneficiaries will be informed through their registered mobile number regarding the Health Facility for vaccination & its scheduled time







## What documents are required for registration of eligible beneficiary?



- Aadhaar/Driving License/Voter ID/PAN Card/Passport/ Job Card/Pension Document
- Health Insurance Smart Card issued under the scheme of Ministry of Labour
- Mahatma Gandhi National Rural Employment Guarantee Act (MGNREGA)
- Official identity cards issued to MPs/MLAs/MLCs
- Passbooks issued by Bank/Post Office
- Service ID Card issued by Central/State Govt./Public Limited Companies







# Can a person get the COVID-19 vaccine without registration?

No, registration is mandatory for COVID-19
vaccination. Only after registration, the information on the session site & time will be shared

### If a person is unable to produce Photo ID at the session site, will s/he be vaccinated?

 Photo ID is a must for both registration & verification at session site to ensure that the intended person is vaccinated







# • How will the beneficiary receive information about the due date of vaccination?

Following online registration, the beneficiary will receive
SMS on their mobile number about the due date, place & time of vaccination

#### Will beneficiaries receive information on their vaccination status after completion?

 Yes. On getting due doses of COVID-19 vaccine, the beneficiary will receive SMS on their mobile number. After all doses of vaccine are administered, a QR code-based certificate will also be sent on their number







#### • Are there any preventive measures & precautions that one needs to follow at the session site?

- You must rest at the vaccination centre for at least half an hour after taking the COVID-19 vaccine
  - Inform the nearest health authorities/ANM/ASHA in case you subsequently feel any discomfort or uneasiness
  - Remember to continue following COVID Appropriate Behaviours like wearing of masks, maintaining hand sanitization & physical distancing (of 6 feet or Do Gaj)







# • What about the possible side-effects from COVID-19 vaccine?

- COVID Vaccine will be introduced only when the safety is proven
  - As is true for other vaccines, the common side effects in some individuals could be mild fever, pain, etc. at the site of injection
  - States have been asked to start making arrangements to deal with any COVID-19 vaccine-related side-effects







#### If one is taking medicines for illnesses like Cancer, Diabetes, Hypertension, etc., can s/he take the COVID-19 vaccine?

A. Yes. Persons with one or more of these comorbid conditions are considered a high-risk category. They need to get COVID-19 vaccination

#### Will the family of Healthcare providers/ Frontline workers also be given the vaccine?

Due to the limited vaccine supply in the initial phase,
it will first be provided to people in priority groups.
In subsequent phases, the vaccine will be made available to all others in need







## How many doses of the vaccine would have to be taken & at what interval?

A Two doses of vaccine, 28 days apart, need to be taken by an individual to complete the vaccination schedule

### When would antibodies develop after taking the dose?

 Protective levels of antibodies are generally developed two weeks after receiving the 2<sup>nd</sup> dose of COVID-19 vaccine